


COR VISION PLUS





Large dimensions



Great glazing capacity



Motorized or manual opening



Accessibility



Possibility of open corners at 90°



NEW LOCKING EMBEDDED VISION SECURITY LOCK

- » Maximal security: Locking with internal and external key.
- » Integration of the lock in the profile with the same minimalist aesthetic.
- » Possibility of painting in any color in order to ensure uniformity of the system.
- » It allows a flush interlock in manual version.



COR VISION PLUS RPT



$U_w \geq 0,9$ (W/m²K)

Please consult typology, dimensions and glazing



CLASS
4



CLASS
9A



CLASS
C3

Maximum acoustic insulation: 43 dB
Maximum glazing: 54 mm

Frame depth: 180 / 278 mm
Face width: 57 mm
Maximum dimensions / sash: 4000 - 4000 mm (Sup. $\leq 14^2$)
Maximum weight / sash: 400 kg (Manual) / 700 kg (Motorized)

2 RAILS
Sliding sash + fixed light
2 sliding sashes + fixed light
2 sliding sashes + 2 fixed lights
2 and 4 sliding sashes
Possibility of open corners at 90°

3 RAILS
2 sliding sashes + fixed light
4 sliding sashes + 2 fixed lights
3 and 6 sliding sashes
Possibility of open corners at 90°

GALANDAGE
1, 2, 3 and 6 sashes